Version 1.3



# A00146 MST ASPIRE SS CLNR/POLISH 20N16

Revision Date 02/13/2017

Print Date 12/15/2018

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A00146 MST ASPIRE SS CLNR/POLISH 20N16
Material number	:	00000000001038047
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	ſS
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas	
Colour	white	
Odour	like fruit	

### **GHS Classification**

Gases under pressure	:	Liquefied gas
GHS label elements		
Hazard pictograms	:	$\widehat{}$
Signal word	:	Warning
Hazard statements	:	H280 Contains gas under pressure; may explode if heated.
Precautionary statements	:	<b>Storage:</b> P410 + P403 Protect from sunlight. Store in a well-ventilated place. P412 Do not expose to temperatures exceeding 50 °C/ 122 °F.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Version 1.3

Revision Date 02/13/2017

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]	
propane	74-98-6	>= 1 - < 5	
The exact perceptages of disclosed substances are withheld as trade secrets			

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	Do not leave the victim unattended.	
If inhaled	If unconscious place in recovery position and seek medica advice. If symptoms persist, call a physician.	al
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.	
In case of eye contact	If in eyes, rinse with water for 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	
Most important symptoms and effects, both acute and delayed	Effects may be delayed, symptoms may include minor eye skin irritation. Overexposure may cause mild eye or skin irritation.	∋ or
Notes to physician	Treat symptomatically. Symptoms may be delayed.	

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	r
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide	

\_

# A00146 MST ASPIRE SS CLNR/POLISH 20N16

Version 1.3	Revision Date 02/13/2017	Print Date 12/15/2018
Specific extinguishing methods	Smoke : Use extinguishing measures that a circumstances and the surrounding	
Further information	: Standard procedure for chemical f Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with For safety reasons in case of fire, separately in closed containments Use a water spray to cool fully close	shing water separately. This s. e extinguishing water must local regulations. cans should be stored
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

Zepinc

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>	
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Prevent product from entering drains.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>	
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>	

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use. Avoid exposure - obtain special instructions before use.	
Conditions for safe storage	BEWARE: Aerosol is pressurized. Keep away from direct su exposure and temperatures over 50 °C. Do not open by forc or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Keep in a cool, well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place.	



Version 1.3

Revision Date 02/13/2017

Materials to avoid : Oxidizing agents

Storage temperature : 5 - 40 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

Engineering measures	: effective ventilation in all processing areas
----------------------	---

### Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
•	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas	5
Colour	: white	
Odour	: like fruit	

# SAFETY DATA SHEET

# A00146 MST ASPIRE SS CLNR/POLISH 20N16

Version 1.3	Revision Date 02/13/2017
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Heat of combustion	: 7.54 kJ/g

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Exposure to sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION



Print Date 12/15/2018



A00146 MST ASPIRE S	Revision Date 02/13/2017	Print Date 12/15/2018
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects may be delayed, symptoms skin irritation.	may include minor eye or
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	at levels greater than or or anticipated carcinogen
Acute toxicity		
Components:		
<b>propane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 658 mg/l Exposure time: 4 h	
	LC50 Rat: 1,355 mg/l	
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irritatio	n	
No data available		
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
propane:		
STOT - single exposure		

No data available

## SAFETY DATA SHEET



# A00146 MST ASPIRE SS CLNR/POLISH 20N16

Version 1.3

Revision Date 02/13/2017

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### **Further information**

### Product:

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

No data available

### Persistence and degradability

### No data available Bioaccumulative potential

Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

# Disposal methods Waste from residues : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with



Version 1.3	Revision Date 02/13/2017	Print Date 12/15/2018
	chemical or used container. Dispose of in accordance with loca	al regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch	on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### **SECTION 15. REGULATORY INFORMATION**

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Sudden Release of Pressure Hazard Sudden Release of Pressure Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.




Version 1.3	Revision Date 02/13/2017	Print Date 12/15/2018	
SARA 313	known CAS numbers that exceed the	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any ch California to cause cancer, birth defe reproductive harm.		
The components of th	is product are reported in the following inv	entories:	
TSCA DSL	On TSCA Inventory This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL.		


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**





### **OSHA - GHS Label Information:**

temperatures exceeding 50 °C/ 122 °F.



Version 1.3

Revision Date 02/13/2017

Version:	1.3
Revision Date:	02/13/2017
Print Date:	12/15/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.