Safety Data Sheet ECO PRIM GRIP

Safety Data Sheet dated: 03/15/2022 - version 8 Date of first edition: 05/29/2015



## **1. IDENTIFICATION**

Product identifier

Mixture identification: Trade name: ECO PRIM GRIP

Trade code: 9015604

### Recommended use of the chemical and restrictions on use

Recommended use: Primer

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

### **Emergency 24 hour numbers:**

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION

## Classification of the chemical

No specific hazards are encountered under normal product use.

### Label elements

### **Precautionary statements:**

Nono				
Ingredient(s) with unknown acute toxicity:				
P501	Dispose of contents/container in accordance with applicable regulations.			
P280	Wear protective gloves and eye protection.			
P264	Wash skin thoroughly after handling.			
P261	Avoid breathing mist/vapours/spray.			
P202	Do not handle until all safety precautions have been read and understood.			

None

### Hazards not otherwise classified identified during the classification process:

#### None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Substances

Not Relevant

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Concentration (% w/w)	Name	:	Ident. Numb.	Classification	Registration Numb	er
25-50 %	Silica Sand		CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350		
0.49-1 %	TITANIUM DIOXIDE	I	CAS:13463-67-7 EC:236-675-5 Index:022-006-	Carc. 2, H351		
Print date	03/30/2022	Production Name	ECO PRIM GF	RIP	Pagen. 1 of	8

## 4. FIRST AID MEASURES

### Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

## In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

Not available

### Indication of any immediate medical attention and special treatment needed

Treatment: Not available

(see paragraph 4.1)

## **5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media: Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

## Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

## Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Silica Sand	ACGIH			0.025		2.			A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
	ACGIH			0.025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	MAK	AUSTRIA		0.15					
	MAK	SWITZERLAND		0.15					
TITANIUM DIOXIDE	OSHA			15					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;
	MAK	GERMANY		0.3					
	ACGIH			10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation
	MAK	AUSTRIA		5		10			
	MAK	SWITZERLAND		3					
Appropriate engineering controls: Not available									

Appropriate engineering controls: Not available

## Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: paste light grey Odour: Like: Acrylate Odour threshold: Not Relevant pH: 8.50 Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant Flash point: 100 °C (212 °F) Notes Method - Seta Evaporation rate: Not Relevant Upper/lower flammability or explosive limits: Not Relevant Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 1.50 g/cm3 Solubility in water: Insoluble Solubility in oil: Not Relevant Partition coefficient (n-octanol/water): Not Relevant Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant Viscosity: Not Relevant Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

## **Other information**

Substance Groups relevant properties Not Relevant Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

### **Conditions to avoid**

Stable under normal conditions.

Incompatible materials

None in particular.

## Hazardous decomposition products

None.

11.	TOXICO	<b>.OGICAL</b>	INFORMATION
-----	--------	----------------	-------------

## Information on toxicological effects

#### Toxicological information on main components of the mixture:

Silica Sand	a) acute toxicity	LD50 Oral Rat = 500 mg/kg			
TITANIUM DIOXIDE	a) acute toxicity	LD50 Oral Rat > 10000 mg/kg			
Substance(s) listed on	the IARC Monog	raphs:			
Silica Sand		Group 1			
TITANIUM DIOXI	DE	Group 2B			
Substance(s) listed as	OSHA Carcinoge	n(s):			
Silica Sand					
TITANIUM DIOXIDE					
Substance(s) listed as NIOSH Carcinogen(s):					
Silica Sand					
TITANIUM DIOXIDE					
Substance(s) listed on the NTP report on Carcinogens:					
Silica Sand					

### **12. ECOLOGICAL INFORMATION**

## Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

## List of components with eco-toxicological properties

Component	Ide	nt. Numb.	Ecotox Infos	
Silica Sand	CAS	5: 14808-60-7 -	a) Aquatic acute toxicity : LC50 carp >	10000.00000 mg/L 72h
Print date	03/30/2022	Production Name	e ECO PRIM GRIP	Page n.

4 of 8

#### Persistence and degradability

### Not available

### **Bioaccumulative potential**

Not available

#### Mobility in soil

Not available

### Other adverse effects

Not available

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

## **UN number**

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

#### **UN proper shipping name**

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

#### Transport hazard class(es)

DOT-Hazard Class: Not Applicable ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

#### Packing group

DOT-Packing group: Not Applicable ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

## **Environmental hazards**

Marine pollutant: No Environmental Pollutant: Not Applicable

DOT-RQ: Not Applicable

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

## Special precautions

Print date

Depar	rtment of Transportation (DOT	):
	Not Applicable	
Road	and Rail ( ADR-RID ) :	
	Not Applicable	
Air ( I	IATA):	
	Not Applicable	
Sea (	IMDG):	
	Not Applicable	
	<ul> <li>Federal regulations</li> <li>Toxic Substances Control TSCA inventory:</li> <li>All the components are lister</li> <li>TSCA listed substances:</li> <li>Silica Sand</li> </ul>	
	TITANIUM DIOXIDE	is listed in TSCA
SARA	<ul> <li>Superfund Amendments</li> <li>Section 302 - Extremely</li> <li>No substances listed</li> </ul>	
	Section 304 - Hazardous	s substances:

No substances listed

#### Section 313 - Toxic chemical list:

No substances listed

## CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

is listed in TSCA Section 8b is listed in TSCA Section 8b

No substances listed

#### CAA - Clean Air Act

#### **CAA listed substances:**

No substances listed

#### **CWA - Clean Water Act**

**CWA listed substances:** 

No substances listed

#### **USA - State specific regulations**

## **California Proposition 65**

Substance(s) listed under California Proposition 65:

Silica Sand TITANIUM DIOXIDE Listed as carcinogen Listed as carcinogen

### **Massachusetts Right to know**

Substance(s) listed under Massachusetts Right to know:

Silica Sand

TITANIUM DIOXIDE

## Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Silica Sand

TITANIUM DIOXIDE

## New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Silica Sand

TITANIUM DIOXIDE

## **Canada - Federal regulations**

**DSL - Domestic Substances List** 

## **DSL Inventory:**

All the substances are listed in the DSL.

## NDSL - Non Domestic Substances List

## NDSL Inventory:

No substances listed

## NPRI - National Pollutant Release Inventory

### Substances listed in NPRI:

No substances listed

## **16. OTHER INFORMATION**

# Safety Data Sheet dated: 3/15/2022 - version 8

Additional classification information

NFPA Health: 1 = Slight NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

### Code Description

- H350 May cause cancer.
- H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION



Production Name

ECO PRIM GRIP