Distinctive Details 1253 Lower Elkton Road Columbiana, OH 44408 USA 1-800-711-7021

PRODUCT: Distinctive Details Futura Foaming Upholstery Cleaner - 510 g Part # 90150

SECTION 01: IDENTIFICATION

Product Item Numbers.....

Product Identity..... Distinctive Details Futura Foaming Upholstery Cleaner - 510 g

Supplier..... Distinctive Details, Inc. 1253 Lower Elkton Road Columbiana, OH 44408

USA

800-711-7021

24 hour emergency telephone number.....

In The United States: Call CHEMTREC (800) 424-9300. In Canada: Call CANUTEC (613) 996-6666

Recommended Use..... Carpet spot remover .

Chemical Family..... Mixture.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:

Signal Word..... WARNING.

Hazard Classification:

Physical Hazards..... Aerosols - Category 3. Gases Under Pressure - Liquefied Gas.

Health Hazards..... Skin Irritation - Category 3. Eye Irritation - Category 2A.

Environmental Hazards..... Not Classified.

H229:Pressurised container: May burst if heated (3). H280:Contains gas under pressure; may explode if heated (L). H316:Causes mild skin irritation. H319:Causes serious eye Hazard Statement.....

irritation. Precautionary Statements:

P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Prevention.....

No smoking. P251:Do not pierce or burn, even after use. P280:Wear eye protection/face protection. P264:Wash hand thoroughly after handling. P332+P313:If skin irritation occurs: Get medical help. P305+P351+P338:IF IN EYES: Response.....

Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. P337+P313:If eye irritation persists: Get medical

advice/attention.

P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. Storage..... P403:Store in a well ventilated place.

None.

Hazard(s) not otherwise classified (HNOC) Use only as directed.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS					
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %			
Isobutane	75-28-5	5-10			
Isopropyl alcohol	67-63-0	5-10			
2-Butoxyethanol	111-76-2	1-5			
Tetrasodium EDTA	64-02-8	1-5			
Fragrance	Mix	0.1-1			

SECTION 04: FIRST-AID MEASURES

If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.

Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 Skin Contact..... minutes. Consult a poison control centre or physician immediately.



PRODUCT: Distinctive Details Futura Foaming Upholstery Cleaner - 510 g

Part # 90150

SECTION 04: FIRST-AID MEASURES

Check for and remove contact lenses. Immediately flush eyes with water for a minimum of Eye Contact..... 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Ingestion is unlikely to occur. If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention. Ingestion..... Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain. Provide general supportive measures and treat symptomatically. In case of shortness of Most important symptoms/effects, acute ... and delayed

breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Unsuitable Extinguishing Media..... Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical In case of fire, the following can be released: Carbon Oxides (CO, CO2), Other unidentified

Organic Compounds.

Special Protective Equipment and Firefighters must use standard protective equipment including flame retardant coat, helmet Precautions for Firefighters with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

General Fire Hazards..... Contains flammable contents.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid **Equipment and Emergency Procedures**

walking through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 08). Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

Methods and Materials for Containment ..

and Cleaning Up

earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Environmental Precautions..... Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent

environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is

missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Avoid breathing vapour of this product. Avoid contact with skin and eyes. Avoid prolonged

exposure. Use in well-ventilated areas.

Conditions for Safe Storage including any Incompatibilities

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C (122°F). Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from

incompatible materials (see Section 10)

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA ACGI	H TLV STEL	OSH/ PEL	A PEL STEL	NIOSH REL	
Isobutane	Not available	1,000 ppm	Not available	Not available	Not available	
Isopropyl alcohol	400 ppm (980 mg/m3	3) 500 ppm (1,225 mg/m3)	400 ppm (980 mg/m3)	500 ppm (1,225 mg/m3)	400 ppm (980 mg/m3)	
2-Butoxyethanol	20 ppm	Not available	50 ppm	Not available	Not available	
Tetrasodium EDTA	Not available	Not available	Not available	Not available	Not available	
Fragrance	Not established	Not established	Not established	Not established	Not established	
Appropriate Engineering Controls Individual Protection Measures: Eye/Face Protection		Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved.				
		Chemical splash goggles are recommended. Chemical resistant gloves are recommended. Avoid contact with the skin. Wear appropriate chemical resistant clothing.				



PRODUCT: Distinctive Details Futura Foaming Upholstery Cleaner - 510 g

Part # 90150

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection..... Use dust and mist respirator.

Thermal Hazards..... None Known.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. General Hygiene Considerations.....

Routinely wash work clothing and protective equipment prior to use.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Aerosol. Physical Appearance..... Foam.

Spearmint fragrance. Odor.....

Odor Threshold (ppm)..... NΪΑ

pH..... Not available. Specific Gravity (Aerosol)..... 0.900-1.000.

N/A

460°C (860°F). (Propellant).

Not available.

Flash Point (°C), Method..... Closed cup: -83.15 °C (-117.7 °F). (Isobutane).

Melting/Freezing Point (°C)..... N/A.

Not available. 1.8. (Isobutane). Upper Flammable Limit (% Vol)..... 8.8. (Isobutane). Vapour Density (Air=1)..... Not available.

Viscosity.....

SECTION 10: STABILITY AND REACTIVITY

Product not reactive under normal conditions of use.

Material is stable under normal conditions.

Possibility of Hazardous Reactions..... Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials......Hazardous Decomposition Products...... Keep away from heat. Strong oxidizing agents. See Section 05.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Isobutane	658 mg/L (Rat - 4 hrs)	Not available
Isopropyl alcohol	73 mg/L (Rat - 4hrs)	3,636 mg/kg (Oral - Rat); 4,059 mg/kg (Dermal - Rabbit)
2-Butoxyethanol	450 ppm (Rat - 4 hrs)	470 mg/kg (Oral - Rat)
Tetrasodium EDTA	Not available	1,658 mg/kg (Oral - Rat)
Fragrance	No data	No data
Information on Likely Routes of Exposure: Routes of entry - Inhalation		

Symptoms Related to the Physical, Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred Chemical and Toxicological Characteristics vision. Defatting of the skin. Symptoms of overexposure may be headache, dizziness, Symptoms Related to the Physical, tiredness, nausea and vomiting.

Acute Toxicity..... Harmful or fatal if swallowed. Irritating to the eyes nose and throat. Skin contact may cause

irritation.

Skin Corrosion/Irritation.....Serious Eye Damage/Eye Irritation..... May cause mild skin irritation.

Causes eye irritation.

Respiratory or Skin Sensitization..... Not classified.

Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected.

Carcinogenicity.....Reproductive Toxicity..... Not Classifiable as a Human Carcinogen.

No information is available, and no adverse effects are expected.

STOT - Single Exposure..... Not classified. STOT - Repeated Exposure..... Not classified.

Aspiration Hazard.....Chronic Effects..... Not classified. No information is available, and no adverse effects are expected.

PRODUCT: Distinctive Details Futura Foaming Upholstery Cleaner - 510 g

Part # 90150

SECTION 12: ECOLOGICAL INFORMATION

May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which Ecotoxicity..... may also be hazardous for the environment:. Isopropanol (CAS#: 67-63-0): Toxicity to fish: LC50 9,640 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 5,102 mg/L, 96 hrs;

Toxicity to algae: EL50 >2,000 mg/L, 72 hrs. Ammonia Solution (CAS#: 7664-41-7): Toxicity to fish: LC50 0.16- 1.1mg/L, 96 hrs; Toxicity to other aquatic invertebrates: EC 50 25.4 mg/L, 48 hrs; Toxicity to algae: EC50 >2,700 mg/L, 432 hrs. The product itself has not been tested.

Persistence and degradability Bioaccumulation Potential..... The product itself has not been tested. Mobility in Soil..... The product itself has not been tested.

Other Adverse Effects..... None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Spilled material and water rinses are classified as chemical waste and must be disposed of in accordance with current local, provincial and federal regulations.

Contents under pressure. Do not puncture, incinerate or expose to heat, even when empty.

SECTION 14: TRANSPORT INFORMATION

UN1950, AEROSOLS, Class 2.2, Ltd. qty.
UN1950, AEROSOLS, Class 2.2, Ltd. qty., Consumer Commodity, ORM-D.
UN1950, AEROSOLS, Class 2.2, Ltd. qty.
UN1950, AEROSOLS, Class 2.2, Ltd. qty. TDG (Canada- Road)......DOT (US-Road).....

IMDG (International- Marine).....IATA (International- Air).....

SECTION 15: REGULATORY INFORMATION

Canadian Environmental Protection Act ... All ingredients listed appear on the Domestic Substances List (DSL).

(CEPA) **ÙS Regulations**

Canada Regulations:

TSCA Inventory Status..... All components are either listed or exempt from the TSCA.

This product is considered hazardous under the Federal OSHA hazard communication OSHA.....

standard.

California Proposition 65..... This product does not contain any chemical(s) known to the state of California to cause

cancer or reproductivity toxicity.

SECTION 16: OTHER INFORMATION

The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. THIS SDS IS VALID FOR THREE YEARS.

ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act Abbreviations.....

1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous

Materials Information System STOT: Specific Target Organ Toxicity.

Regulatory Affairs Prepared by

Latest Revision 2021-03-31