1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Hoffman Ceramic Sealant PRODUCT TYPE: Liquid Vehicle Dressing

CONTROL NUMBER:..... \$0522XXX

COMPANY: Hoffman Carwash

16 Kairnes Street Albany, NY 12205 1-518-862-1658

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Skin Irritation (2) Eye Irritation (2A)

SYMBOLS:....



SIGNAL WORD:..... WARNING!

HAZARD STATEMENT:..... Causes skin irritation. Causes serious eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

RESPONSE:..... IF ON SKIN: Wash with plenty of water and soap. Specific

treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get

medical advice/attention.

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

DISPOSAL: As recommended by local, state and federal authorities.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Trade Secret 2-Butoxy Ethanol

C.A.S. NUMBER

Trade Secret 111-76-2

The specific chemical identity and percentages of components are being withheld as trade secret. This information will be disclosed as necessary to authorized individuals per 29 CFR 1910.1200(i).

4 - FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

TROTTE THE STATE OF THE STATE O

ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an

unmarked container! Keep away from children! Spilled material is slippery.

EXPOSURE:.....One component of this product has established exposure limits:

INGREDIENT

C.A.S. NUMBER

PEL

Trade Secret 2-Butoxy Ethanol

Trade Secret 111-76-2 20 ppm TLV, 50 ppm PEL 20 ppm TLV, 25 ppm PEL

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Purple transparent liquid, pleasantly scented.

ODOR THRESHOLD: N/A **pH:** 7.0-9.0

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:..... N/A

FLASHPOINT:.... This product is non-flammable.

VAPOR DENSITY (AIR=1):...... Greater than 1.

SPECIFIC GRAVITY: 0.99

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Slight body

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. **HAZARDOUS DECOMP.:** This product not known to polymerize. **INCOMPATIBILITY:** Do not mix with other chemicals.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Ingestion. Not likely to be inhaled in dangerous amounts.

LISTED CARCINOGEN: None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis.

INHALATION:..... Not likely to be inhaled in hazardous amounts. Maintain adequate

ventilation in the work area.

INGESTION:...... This material can cause irritation to the stomach and esophagus

if ingested.

EYES: May cause eye irritation.

SKIN (DERMAL): This product may cause irritation or redness of the skin.

ACUTE TOXICITY* (ORAL):.....>5000 mg/kg

ACUTE TOXICITY* (DERMAL):.....>5000 mg/kg
ACUTE TOXCITY* (INHALATION):...>20,000 ppm V (Gas), >20 mg/l (Vapor), >5
mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated.

HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

Inventory of Chemical Substances.

components are either included on or exempt from the TSCA

REVISION DATE:..... 11/14/2022