

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	LATICRETE HYDRO BAN	
Other means of identification	Not available.	
Recommended use	Waterproofing Membrane.	
Recommended restrictions	None known.	
Manufacturer / Importer / Supplie	er / Distributor information	
Company Name Address	LATICRETE International 1 Laticrete Park, N Bethany, CT 06524	
Telephone	(203)-393-0010	
Contact person	Steve Fine	
Website Emergency phone number	www.laticrete.com Call CHEMTREC day or night	
Emergency phone number	USA/Canada - 1.800.424.9300	
	Mexico - 1.800.681.9531	
	Outside USA/Canada	
	1.703.527.3887	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Hazardous to the aquatic environment, Category 3 long-term hazard	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Harmful to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices. Avoid release to the environment.	
Response	No specific first aid measures noted.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	Not classified.	

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Zinc oxide	1314-13-2	1 - 2
Titanium dioxide	13463-67-7	0.3 - 0.5

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur.
Eye contact	Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms persist.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed	Symptoms include redness, itching and pain.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Environmental manager must be informed of all major releases.
7. Handling and storage Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate

so without risk. Use water spray to cool unopened containers.

No unusual fire or explosion hazards noted.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Precautions for safe handlingDo not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate
ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene
practices.Conditions for safe storage,Keep container tightly closed. Store in a cool and well-ventilated place.

including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
	i yhe	5 mg/m3	Fume.
ological limit values	No biological exposure limits noted for	C C	
opropriate engineering	Provide adequate ventilation and mir	•	vapors.
ontrols			
	such as personal protective equipm		
Eye/face protection	Risk of contact: Wear protective glove	es and goggles/face shield.	
Skin protection			
Hand protection	Wear appropriate chemical resistant		
Other	Wear appropriate chemical resistant	-	
Respiratory protection	In case of insufficient ventilation, wea		ent.
Thermal hazards	Wear appropriate thermal protective	•	
eneral hygiene onsiderations	Always observe good personal hygie and before eating, drinking, and/or sr equipment to remove contaminants.		
. Physical and chemical	properties		
ppearance	Olive green liquid.		
Physical state	Liquid.		
Form	Liquid.		
Color	Olive green.		
dor	Styrene butadiene rubber.		
dor threshold	Not available.		
н	8 - 9		
elting point/freezing point	32 °F (0 °C)		
itial boiling point and boiling	212 °F (100 °C)		
lash point	Not available.		
vaporation rate	Not available.		
lammability (solid, gas)	Not available.		
pper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
apor pressure	Not available.		
apor density	Not available.		
elative density	1.34		
olubility(ies)			
Solubility (water)	Soluble in water.		
artition coefficient n-octanol/water)	Not available.		
uto-ignition temperature	Not available.		
ecomposition temperature	Not available.		
iscosity	Not available.		
0. Stability and reactivity	,		
eactivity	The product is stable and non-reactiv	e under normal conditions of u	ise storage and transport
hemical stability	Material is stable under normal condi		
	Na despersue reaction known under		

No don	gerous reaction	known undo	r conditions o	fnormaluan
INU UAI	iderous reaction	KHOWH UHUE	r conunons o	i normai use.

Conditions to avoidHeat, flames and sparks.Incompatible materialsOxidizing agents.

LATICRETE HYDRO BAN

Possibility of hazardous

reactions

11. Toxicological information

5			
Information on likely routes of e	xposure		
Ingestion	May cause discomfort if swallowed.		
Inhalation	In high concentrations, vapors may be irritating to the respiratory system.		
Skin contact	May cause skin irritation.		
Eye contact	May cause eye irritation.		
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms include redness, itching and pain.		
Information on toxicological effe	ects		
Acute toxicity	May cause discomfort if swa	allowed.	
Skin corrosion/irritation	May cause skin irritation on prolonged or repeated contact.		
Serious eye damage/eye irritation	May cause eye irritation on	direct contact.	
Respiratory or skin sensitizatior	า		
Respiratory sensitization	No data available.		
Skin sensitization	Not a skin sensitizer.		
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	e product or any components present at greater than 0.1% are	
Carcinogenicity	Inhalation of titanium dioxide dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.		
IARC Monographs. Overall I	Evaluation of Carcinogenicit	у	
Titanium dioxide (CAS 13	3463-67-7)	2B Possibly carcinogenic to humans.	
Reproductive toxicity	No data available.		
Specific target organ toxicity - single exposure	No data available.		
Specific target organ toxicity -	No data available.		

Not classified.
No data available.

12. Ecological information

Ecotoxicity	Harmful to	aquatic life with long lasting effects.	
Components		Species	Test Results
Zinc oxide (CAS 1314-13-2)			
Aquatic			
Crustacea	LC50	Water flea (Daphnia magna)	0.098 mg/l, 48 Hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available for this product.		
Mobility in soil	The produ	ct is soluble in water.	
Other adverse effects			e depletion, photochemical ozone creation tential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied cylinders may retain product residue, follow label warnings even after cylinder is emptied.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc oxide (CAS 1314-13-2)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

```
chemical
```

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc oxide	1314-13-2	1 - 2
Ethylene glycol	107-21-1	< 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Titanium dioxide (CAS 13463-67-7) Zinc oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Titanium dioxide (CAS 13463-67-7) Zinc oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Titanium dioxide (CAS 13463-67-7) Zinc oxide (CAS 1314-13-2)

US. Rhode Island RTK

Zinc oxide (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Titanium dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

 $\left(\right)$

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	24-November-2013
Revision date	24-November-2013
Version #	02
NFPA Ratings	

References

Disclaimer

HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.