

Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	RNX ONLINE PROTECTANT PLUS 30 GL
Material number	:	V35360
Manufacturer or supplier's o	leta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Transportation Wash

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	orange
Odour	Berry fragrance

GHS Classification

Skin irritation Serious eye damage Respiratory sensitisation Skin sensitisation	 Category 2 Category 1 Category 1 Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements	: Prevention:



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
	 P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P272 Contaminated work clothin the workplace. P280 Wear protective gloves/ ey P284 Wear respiratory protection Response: P302 + P352 IF ON SKIN: Wash P304 + P340 IF INHALED: Remo keep comfortable for breathing. P305 + P351 + P338 + P310 IF I water for several minutes. Remo and easy to do. Continue rinsing. CENTER/doctor. P333 + P313 If skin irritation or ra advice/ attention. P342 + P311 If experiencing resp POISON CENTER/doctor. P362 + P364 Take off contamina reuse. Disposal: P501 Dispose of contents/contain 	e/ gas/ mist/ vapours/ spray. t handling. g should not be allowed out of e protection/ face protection. with plenty of water. ove person to fresh air and N EYES: Rinse cautiously with ve contact lenses, if present . Immediately call a POISON ash occurs: Get medical piratory symptoms: Call a ated clothing and wash it before

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 5 - < 10
1-Propanaminium, 3-amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	>= 5 - < 10
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3	>= 1 - < 5
Propane-1,2-diol, propoxylated	25322-69-4	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
trisodium 5-hydroxy-1-(4-sulphophenyl)-4-(4- sulphophenylazo)pyrazole-3-carboxylate	1934-21-0	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Call a physician or poison control centre immediately.



Version 1.3		Revision Date 02/26/2020	Print Date 06/23/2021
		If unconscious, place in recovery posit advice.	ion and seek medical
In case of skin contact	:	If skin irritation persists, call a physicia If on skin, rinse well with water. If on clothes, remove clothes.	n.
In case of eye contact	:	Small amounts splashed into eyes can tissue damage and blindness. In the case of contact with eyes, rinse of water and seek medical advice. Continue rinsing eyes during transport Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a spec	immediately with plenty to hospital.
If swallowed	:	Clean mouth with water and drink after Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverage Never give anything by mouth to an ur If symptoms persist, call a physician. Take victim immediately to hospital.	S.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include blistering, irrita Symptoms may include difficulty breat wheezing, throat irritation, and tightnes	hing, coughing,
		Effects are dependent on exposure (de contact time). Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptom difficulties if inhaled. Review section 2 of SDS to see all pot	ns or breathing
Notes to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water mist Dry powder Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures that circumstances and the surroundir	
Further information	: Collect contaminated fire extingui must not be discharged into drain Fire residues and contaminated fi be disposed of in accordance with	s. re extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Neutralize with chalk, alkali solution or ammonia. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.



Version 1.3

Revision Date 02/26/2020

Print Date 06/23/2021

Materials to avoid

: Do not store near acids. Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL
Propane-1,2-diol, propoxylated	25322-69-4	TWA (aerosol)	10 mg/m3	US WEEL
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200.mg/g	ACGIH BEI
		acid (BAA)		shift (As	Creatinine	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures	: eff	ective ventilation	on in all processi	ng areas	5	
Personal protective eq	uipment					
Respiratory protection		the case of vap proved filter.	oour formation us	se a resp	pirator with an	
Hand protection Material Remarks	: Th	•	a specific workp s of the protectiv			ed
Eye protection	Tig We	htly fitting safe	vith pure water ty goggles and protective so	uit for at	onormal proces	sing



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	t the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	orange
Odour	:	Berry fragrance
Odour Threshold	:	No data available
рН	:	3.9, 100 %
Estimated -Melting point/freezing point	:	-6.6 °C
Estimated -Boiling point	:	> 100 °C
Flash point	:	> 93.4 °C Method: closed cup
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Density	:	1.009 g/cm3
Solubility(ies)		
Water solubility	:	completely soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	6 mm2/s (40 °C)
		8 mm2/s (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
Chemical stability	: Stable under normal conditions. No decomposition if stored and a	applied as directed.
Possibility of hazardous	: No decomposition if stored and a	applied as directed.
reactions Conditions to avoid	: Extremes of temperature and dir	ect sunlight.
Incompatible materials	: Strong reducing agents Strong bases	
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Silicon oxides Chlorine	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Effects are dependent on exposure (dose, concentration, contact time).
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 110.13 mg/l



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
	Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
2-butoxyethanol: Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Remarks: Extremely corrosive	and destructive to tissue.	
Serious eye damage/eye irritatio	n	
Product:		
Remarks: May cause irrevers	ble eye damage.	
Respiratory or skin sensitisatior	ı	
Product:		
Remarks: Causes sensitisatio	n.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		



Version 1.3

Revision Date 02/26/2020

Print Date 06/23/2021

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
octanol/water <u>Components:</u> propane-1,2-diol :	: Remarks: No data available : log Pow: -1.07
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life. The GHS H401 statement "Toxic to aquatic life" noted above is an Acute Aquatic Toxicity Category 2 classification. Although the product has the potential to harm the environment, it is not classified as a marine pollutant or regulated under transportation regulations.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods



Version 1.3	Revision Date 02/26/2020	Print Date 06/23/2021
Waste from residues	 The product should not be allowed courses or the soil. Do not contaminate ponds, watervisite chemical or used container. Send to a licensed waste manage 	ways or ditches with
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

SAFETY DATA SHEET



RNX ONLINE PROTECTANT PLUS 30 GL

ersion 1.3		Revision Date 02/2	6/2020	Print Date 06	6/23/2021
Components		CAS-No.	Component RQ (lbs)	Calculated pro	oduct RQ
acetic acid		64-19-7	5000	*	
*: Calculated RQ exceeds re	easonal	oly attainable upper	limit.		
SARA 304 Extremely Haza	rdous	Substances Repor	rtable Quantity		
This material does not conta		-	-	RQ	
	ant arry				
SARA 311/312 Hazards	Se	Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitisation			
SARA 302		o chemicals in this r quirements of SAR			ng
SARA 313	es	The following components are subject to reporting levels established by SARA Title III, Section 313: 2-butoxyethanol 111-76-2 9.9886 %			
California Prop. 65					
		WARNING: This pro- including dichloroad of California to caus reproductive harm. www.P65Warnings.	cetic acid, which is se cancer and birt For more informa	are known to t h defects or oth	he State

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



Version 1.3

Revision Date 02/26/2020

Print Date 06/23/2021

Further information



HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements	· · · · · · · · · · · · · · · · · · ·
	Prevention: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. Wear respiratory protection.
	Response: IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.3
Revision Date:	02/26/2020
Print Date:	06/23/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®],



Version 1.3

Revision Date 02/26/2020

Print Date 06/23/2021

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.