

# Safety Data Sheet

Revision Date: 04-Jul-2014

Version 1

# **1. IDENTIFICATION**

Product Identifier Product Name Q H

Q Hot Glass

QC-047

Other means of identification SDS #

Recommended use of the chemical and restrictions on useRecommended UseCleaning agent.

# Details of the supplier of the safety data sheet

Supplier Address Panaram International Trading CO. 126 Greylock Ave. Belleville, New Jersey 07109

### Emergency Telephone Number Company Phone Number

 Company Phone Number
 1-800-439-0190

 Emergency Telephone (24 hr)
 1-800-439-0190

# 2. HAZARDS IDENTIFICATION

Appearance Red liquid

Physical State Liquid

Category 1

**Classification** 

Specific target organ toxicity (single exposure)

# Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

<u>Signal Word</u> Danger

Hazard Statements

Causes damage to organs



<u>Precautionary Statements - Prevention</u> Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

# **Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor/physician

# Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Proprietary Solvent	Proprietary	1-10
Proprietary Solvent	Proprietary	1-10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### **4. FIRST-AID MEASURES**

### **First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention if irritation develops.	
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.	
Ingestion	Do not induce vomiting without medical advice. Get immediate medical attention.	
Most important symptoms and effe	ects	
Symptoms	May cause skin and eye irritation. May cause irritation to the mucous membranes and upper respiratory tract. Irritating to mouth, throat, and stomach if ingested. May cause central nervous system effects.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Ethanol and fomepizole are effective antidotes for methanol poisoning, although fomepizole is preferred.	

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Water, Foam, Dry Chemical, Carbon Dioxide.

### Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical Flammable liquid and vapor.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Personal precautions	, protective ec	uipment and	emeraencv	procedures
---	----------------------	-----------------	-------------	-----------	------------

Personal Precautions	Use personal protective equipment as required.	
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.	
Methods for Clean-Up	Use only non-sparking tools. Use explosion proof equipment. Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.	

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. For Industrial or professional use only. Product should only be handled by trained personnel. Keep out of the reach of children. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place.

Incompatible Materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Proprietary Solvent	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses.	
Skin and Body Protection	Wear waterproof gloves.	
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.	
General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands bef eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needer take first aid action shown on section 4 of this SDS. Launder contaminated clothing bet reuse.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Red liquid Red	Odor Odor Threshold	Not determined Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity	Values7.5Not determinedNot determinedNot determinedNot determinedn/a-liquidNot determinedNot determined	Remarks • Method	
Explosive Properties Oxidizing Properties	Not determined Not determined		

# **10. STABILITY AND REACTIVITY**

# Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to Avoid**

Heat, flames, ignition sources and incompatibles.

# Incompatible Materials

Strong oxidizing agents.

# Hazardous Decomposition Products

Carbon dioxide (CO2).

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Moderately irritating to the eyes.
Skin Contact	May cause temporary irritation on skin contact.
Inhalation	May cause irritation if inhaled.
Ingestion	May be harmful if swallowed.

# Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Solvent	= 5628 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 83.2 mg/L (Rat)4 h = 64000 ppm (Rat)4 h
Proprietary Solvent	= 5200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 54.6 mg/L (Rat)4 h > 24 mg/L (Rat)1 h

# Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.	
STOT - single exposure	Causes damage to organs.	
Numerical measures of toxicity Not determined		

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Solvent		28200: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through 100: 96 h		
		Pimephales promelas mg/L		
		LC50 static 19500 - 20700:		
		96 h Oncorhynchus mykiss		
		mg/L LC50 flow-through 18 -		
		20: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		
		13500 - 17600: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through		
Proprietary Solvent		20.8: 96 h Pimephales		23300: 48 h Daphnia magna
		promelas g/L LC50 static		mg/L EC50
		4600 - 10000: 96 h		
		Leuciscus idus mg/L LC50		
		static		

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# <u>Mobility</u>

Chemical Name	Partition Coefficient
Proprietary Solvent	-0.77
Proprietary Solvent	-0.437

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

# Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Proprietary Solvent		Included in waste stream:		U154
		F039		

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Proprietary Solvent	Toxic
	Ignitable

# Id. TRANSPORT INFORMATION Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. DOT Please contact manufacturer for most current information IATA Please contact manufacturer for most current information IMDG Please contact manufacturer for most current information

# **15. REGULATORY INFORMATION**

## International Inventories

Not determined

# US Federal Regulations

# **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Solvent	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ

# <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent -		1-10	1.0

# US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Proprietary Solvent -	Developmental

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proprietary Solvent	Х	X	Х
Proprietary Solvent	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 2	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	<b>Special Hazards</b> Not determined <b>Personal Protection</b> B
Issue Date:	16-Jun-	2014		

04-Jul-2014

New product

Disclaimer

**Revision Date:** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**